

ALEA

Tech Reports

Lo standard XBRL (eXtensible Business Reporting Language) e la comunicazione finanziaria d'impresa

Appendice 1

CODICE DEGLI ESEMPI XBRL PRESENTATI

Walter Aste e Davide Panizzolo

Tech Report Nr. 20
Maggio 2004

Alea - Centro di ricerca sui rischi finanziari
Dipartimento di informatica e studi aziendali
Università di Trento - Via Inama 5 - 38100 - Trento

Alea^{web} <http://www.aleaweb.org/>

=====

= = = = = = = = = Appendice 1 Tech Report = = = = =

=====

Questi file sono stati realizzati utilizzando le applicazione software Fujitsu XBRL Taxonomy Editor e XBRL Instance Creator descritte nel capitolo 7 del Tech Report.

Pertanto sono conformi unicamente con le specifiche di XBRL 2.0.

1 - FILE: dives.xsd

```
<?xml version="1.0" encoding="UTF-8"?>
<!--Generated by Fujitsu Interstage XWand 1.0.109-->
<schema
targetNamespace="http://www.fujitsu.com/xml/xbrl/taxeditor/default"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xlink="http://www.w3.org/1999/xlink"
xmlns:xbrll="http://www.xbrl.org/2001/XLink/xbrllinkbase"
xmlns:xbrli="http://www.xbrl.org/2001/instance"
xmlns="http://www.w3.org/2001/XMLSchema">
    <annotation>
        <appinfo>
            <xbrll:linkbaseRef xlink:type="simple"
xlink:actuate="onRequest"
xlink:arcrole="http://www.w3.org/1999/xlink/properties/linkbase"
xlink:href="default_linkbase_presentation.xml"
xlink:role="http://www.xbrl.org/linkprops/linkRef/presentation">presentationLink</xbrll:linkbaseRef>
            <xbrll:linkbaseRef xlink:type="simple"
xlink:actuate="onRequest"
xlink:arcrole="http://www.w3.org/1999/xlink/properties/linkbase"
xlink:href="default_linkbase_calculation.xml"
xlink:role="http://www.xbrl.org/linkprops/linkRef/calculation">calculationLink</xbrll:linkbaseRef>
            <xbrll:linkbaseRef xlink:type="simple"
xlink:actuate="onRequest"
xlink:arcrole="http://www.w3.org/1999/xlink/properties/linkbase"
xlink:href="default_linkbase_definition.xml"
xlink:role="http://www.xbrl.org/linkprops/linkRef/definition">definitionLink</xbrll:linkbaseRef>
            <xbrll:linkbaseRef xlink:type="simple"
xlink:actuate="onRequest"
xlink:arcrole="http://www.w3.org/1999/xlink/properties/linkbase"
xlink:href="default_linkbase_label.xml"
xlink:role="http://www.xbrl.org/linkprops/linkRef/label">labelLink</xbrll:linkbaseRef>
            <xbrll:linkbaseRef xlink:type="simple"
xlink:actuate="onRequest"
xlink:arcrole="http://www.w3.org/1999/xlink/properties/linkbase"
xlink:href="default_linkbase_reference.xml"
xlink:role="http://www.xbrl.org/linkprops/linkRef/reference">referenceLink</xbrll:linkbaseRef>
        </appinfo>
    </annotation>
    <import namespace="http://www.xbrl.org/2001/instance"
schemaLocation="xbrl-instance.xsd"/>
    <element name="ce" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce"/>
    <element name="ce.op" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.op"/>
    <element name="ce.fin" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.fin"/>
    <element name="ce.fisc" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.fisc"/>
```

```

<element name="ce.tot" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.tot"/>
<element name="ce.op.ric" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.op.ric"
xbrli:balance="credit"/>
<element name="ce.op.costven" type="xbrli:monetaryItemType"
abstract="true" substitutionGroup="xbrli:item" id="ce.op.costven"/>
<element name="ce.op.mol" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.op.mol"
xbrli:balance="credit"/>
<element name="ce.op.amm" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.op.amm" xbrli:balance="debit"/>
<element name="ce.op.rop" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.op.rop"
xbrli:balance="credit"/>
<element name="ce.fin.intatt" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.fin.intatt"
xbrli:balance="credit"/>
<element name="ce.fin.intpass" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.fin.intpass"
xbrli:balance="debit"/>
<element name="ce.fisc.imp" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.fisc.imp"
xbrli:balance="debit"/>
<element name="ce.tot.rlror" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.tot.rlror"
xbrli:balance="credit"/>
<element name="ce.tot.rnet" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.tot.rnet"
xbrli:balance="credit"/>
<element name="ce.op.acq.mp" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.op.acq.mp"
xbrli:balance="debit"/>
<element name="ce.op.acq.lav" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.op.acq.lav"
xbrli:balance="debit"/>
<element name="ce.op.acq.ser" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.op.acq.ser"
xbrli:balance="debit"/>
<element name="ce.op.varrim.mpmerc"
type="xbrli:monetaryItemType" substitutionGroup="xbrli:item"
id="ce.op.varrim.mpmerc" xbrli:balance="credit"/>
<element name="ce.op.varrim.sempf"
type="xbrli:monetaryItemType" substitutionGroup="xbrli:item"
id="ce.op.varrim.sempf" xbrli:balance="credit"/>
<element name="ce.op.costcap" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.op.costcap"
xbrli:balance="credit"/>
<element name="ce.op.costven.tot" type="xbrli:monetaryItemType"
substitutionGroup="xbrli:item" id="ce.op.costven.tot"
xbrli:balance="debit"/>
<element name="info" type="xbrli:stringItemType"
abstract="true" substitutionGroup="xbrli:item" id="info"/>
<element name="info.nome" type="xbrli:stringItemType"
substitutionGroup="xbrli:item" id="info.nome"/>

```

```

<element name="info.sede" type="xbrli:stringItemType"
substitutionGroup="xbrli:item" id="info.sede"/>
<element name="info.scenario.tipo" type="xbrli:stringItemType"
substitutionGroup="xbrli:item" id="info.scenario.tipo"/>
<element name="info.segment.prov" type="xbrli:stringItemType"
substitutionGroup="xbrli:item" id="info.segment.prov"/>
</schema>

```

2 - FILE: dives_linkbase_calculation.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<!--Generated by Fujitsu Interstage XWand 1.0.109-->
<linkbase xmlns="http://www.xbrl.org/2001/XLink/xbrllinkbase"
xmlns:xbrll="http://www.xbrl.org/2001/XLink/xbrllinkbase"
xmlns:xlink="http://www.w3.org/1999/xlink"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.fujitsu.com/xml/xbrl/taxeditor/default
dives.xsd">
    <calculationLink xlink:type="extended">
        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.tot.rnet"
xlink:label="ce.tot.rnet_1076089636390_0"
xlink:role="http://www.xbrl.org/linkprops/locator/root"
xlink:title="ce.tot.rnet"/>
            <loc xlink:type="locator"
xlink:href="dives.xsd#ce.fisc.imp"
xlink:label="ce.fisc.imp_1076089636390_1" xlink:title="ce.fisc.imp"/>
                <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="calculation: ce.tot.rnet to ce.fisc.imp"
xlink:from="ce.tot.rnet_1076089636390_0"
xlink:to="ce.fisc.imp_1076089636390_1" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="-1"/>
                    <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="calculation: ce.fisc.imp to ce.tot.rnet"
xlink:from="ce.fisc.imp_1076089636390_1"
xlink:to="ce.tot.rnet_1076089636390_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="-1"/>
                        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.tot.rlror"
xlink:label="ce.tot.rlror_1076089638952_0" xlink:title="ce.tot.rlror"/>
                            <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="calculation: ce.tot.rnet to ce.tot.rlror"
xlink:from="ce.tot.rnet_1076089636390_0"
xlink:to="ce.tot.rlror_1076089638952_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="1"/>
                                <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="calculation: ce.tot.rlror to ce.tot.rnet"
xlink:from="ce.tot.rlror_1076089638952_0"
xlink:to="ce.tot.rnet_1076089636390_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="1"/>

```

```

        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.fin.intatt"
xlink:label="ce.fin.intatt_1076089651327_0"
xlink:title="ce.fin.intatt"/>
            <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="calculation: ce.tot.rlror to ce.fin.intatt"
xlink:from="ce.tot.rlror_1076089638952_0"
xlink:to="ce.fin.intatt_1076089651327_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="1"/>
            <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="calculation: ce.fin.intatt to ce.tot.rlror"
xlink:from="ce.fin.intatt_1076089651327_0"
xlink:to="ce.tot.rlror_1076089638952_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="1"/>
            <loc xlink:type="locator"
xlink:href="dives.xsd#ce.fin.intpass"
xlink:label="ce.fin.intpass_1076089656515_0"
xlink:title="ce.fin.intpass"/>
            <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="calculation: ce.tot.rlror to ce.fin.intpass"
xlink:from="ce.tot.rlror_1076089638952_0"
xlink:to="ce.fin.intpass_1076089656515_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="-1"/>
            <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="calculation: ce.fin.intpass to ce.tot.rlror"
xlink:from="ce.fin.intpass_1076089656515_0"
xlink:to="ce.tot.rlror_1076089638952_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="-1"/>
            <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.rop"
xlink:label="ce.op.rop_1076089659749_0" xlink:title="ce.op.rop"/>
            <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="calculation: ce.tot.rlror to ce.op.rop"
xlink:from="ce.tot.rlror_1076089638952_0"
xlink:to="ce.op.rop_1076089659749_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="1"/>
            <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="calculation: ce.op.rop to ce.tot.rlror"
xlink:from="ce.op.rop_1076089659749_0"
xlink:to="ce.tot.rlror_1076089638952_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="1"/>
            <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.amm"
xlink:label="ce.op.amm_1076089665577_0" xlink:title="ce.op.amm"/>
            <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="calculation: ce.op.rop to ce.op.amm"
xlink:from="ce.op.rop_1076089659749_0"
xlink:to="ce.op.amm_1076089665577_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="-1"/>
            <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"

```

```

xlink:title="calculation: ce.op.amm to ce.op.rop"
xlink:from="ce.op.amm_1076089665577_0"
xlink:to="ce.op.rop_1076089659749_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="-1"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.mol"
xlink:label="ce.op.mol_1076089668812_0" xlink:title="ce.op.mol"/>
    <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="calculation: ce.op.rop to ce.op.mol"
xlink:from="ce.op.rop_1076089659749_0"
xlink:to="ce.op.mol_1076089668812_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="1"/>
    <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="calculation: ce.op.mol to ce.op.rop"
xlink:from="ce.op.mol_1076089668812_0"
xlink:to="ce.op.rop_1076089659749_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="1"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.ric"
xlink:label="ce.op.ric_1076089675843_0" xlink:title="ce.op.ric"/>
    <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="calculation: ce.op.mol to ce.op.ric"
xlink:from="ce.op.mol_1076089668812_0"
xlink:to="ce.op.ric_1076089675843_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="1"/>
    <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="calculation: ce.op.ric to ce.op.mol"
xlink:from="ce.op.ric_1076089675843_0"
xlink:to="ce.op.mol_1076089668812_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="1"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.costven.tot"
xlink:label="ce.op.costven.tot_1076089709171_0"
xlink:title="ce.op.costven.tot"/>
    <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="calculation: ce.op.mol to ce.op.costven.tot"
xlink:from="ce.op.mol_1076089668812_0"
xlink:to="ce.op.costven.tot_1076089709171_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0" weight="1"/>
    <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="calculation: ce.op.costven.tot to ce.op.mol"
xlink:from="ce.op.costven.tot_1076089709171_0"
xlink:to="ce.op.mol_1076089668812_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="-1"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.acq.mp"
xlink:label="ce.op.acq.mp_1076089712593_0"
xlink:title="ce.op.acq.mp"/>
    <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="calculation: ce.op.costven.tot to ce.op.acq.mp"

```

```

xlink:from="ce.op.costven.tot_1076089709171_0"
xlink:to="ce.op.acq.mp_1076089712593_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="1"/>
    <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="calculation: ce.op.acq.mp to ce.op.costven.tot"
xlink:from="ce.op.acq.mp_1076089712593_0"
xlink:to="ce.op.costven.tot_1076089709171_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
weight="1"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.acq.lav"
xlink:label="ce.op.acq.lav_1076089714687_0"
xlink:title="ce.op.acq.lav"/>
    <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="calculation: ce.op.costven.tot to ce.op.acq.lav"
xlink:from="ce.op.costven.tot_1076089709171_0"
xlink:to="ce.op.acq.lav_1076089714687_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="1"/>
    <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="calculation: ce.op.acq.lav to ce.op.costven.tot"
xlink:from="ce.op.acq.lav_1076089714687_0"
xlink:to="ce.op.costven.tot_1076089709171_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
weight="1"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.acq.ser"
xlink:label="ce.op.acq.ser_1076089716452_0"
xlink:title="ce.op.acq.ser"/>
    <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="calculation: ce.op.costven.tot to ce.op.acq.ser"
xlink:from="ce.op.costven.tot_1076089709171_0"
xlink:to="ce.op.acq.ser_1076089716452_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="1"/>
    <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="calculation: ce.op.acq.ser to ce.op.costven.tot"
xlink:from="ce.op.acq.ser_1076089716452_0"
xlink:to="ce.op.costven.tot_1076089709171_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
weight="1"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.varrim.mpmerc"
xlink:label="ce.op.varrim.mpmerc_1076089717983_0"
xlink:title="ce.op.varrim.mpmerc"/>
    <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="calculation: ce.op.costven.tot to ce.op.varrim.mpmerc"
xlink:from="ce.op.costven.tot_1076089709171_0"
xlink:to="ce.op.varrim.mpmerc_1076089717983_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0" weight="-
1"/>
    <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="calculation: ce.op.varrim.mpmerc to ce.op.costven.tot"

```

```

xlink:from="ce.op.varrim.mpperc_1076089717983_0"
xlink:to="ce.op.costven.tot_1076089709171_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0" weight="-1"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.varrim.sempf"
xlink:label="ce.op.varrim.sempf_1076089719265_0"
xlink:title="ce.op.varrim.sempf"/>
        <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="calculation: ce.op.costven.tot to ce.op.varrim.sempf"
xlink:from="ce.op.costven.tot_1076089709171_0"
xlink:to="ce.op.varrim.sempf_1076089719265_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0" weight="-1"/>
        <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="calculation: ce.op.varrim.sempf to ce.op.costven.tot"
xlink:from="ce.op.varrim.sempf_1076089719265_0"
xlink:to="ce.op.costven.tot_1076089709171_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0" weight="-1"/>
        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.costcap"
xlink:label="ce.op.costcap_1076089720343_0"
xlink:title="ce.op.costcap"/>
        <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="calculation: ce.op.costven.tot to ce.op.costcap"
xlink:from="ce.op.costven.tot_1076089709171_0"
xlink:to="ce.op.costcap_1076089720343_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" weight="-1"/>
        <calculationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="calculation: ce.op.costcap to ce.op.costven.tot"
xlink:from="ce.op.costcap_1076089720343_0"
xlink:to="ce.op.costven.tot_1076089709171_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0" weight="-1"/>
    </calculationLink>
</linkbase>

```

3 - File: dives_linkbase_definition.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<!--Generated by Fujitsu Interstage XWand 1.0.109-->
<linkbase xmlns="http://www.xbrl.org/2001/XLink/xbrllinkbase"
xmlns:xbrll="http://www.xbrl.org/2001/XLink/xbrllinkbase"
xmlns:xlink="http://www.w3.org/1999/xlink"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.fujitsu.com/xml/xbrl/taxeditor/default
dives.xsd">
    <definitionLink xlink:type="extended">
        <loc xlink:type="locator" xlink:href="dives.xsd#info"
xlink:label="info_1075214891820_0"

```

```

xlink:role="http://www.xbrl.org/linkprops/locator/root"
xlink:title="info"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#info.nome"
xlink:label="info.nome_1075214891820_1" xlink:title="info.nome"/>
        <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: info to info.nome"
xlink:from="info_1075214891820_0"
xlink:to="info.nome_1075214891820_1" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
            <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: info.nome to info"
xlink:from="info.nome_1075214891820_1"
xlink:to="info_1075214891820_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                <loc xlink:type="locator"
xlink:href="dives.xsd#info.sede"
xlink:label="info.sede_1075214897750_0" xlink:title="info.sede"/>
                    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: info to info.sede"
xlink:from="info_1075214891820_0"
xlink:to="info.sede_1075214897750_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                        <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: info.sede to info"
xlink:from="info.sede_1075214897750_0"
xlink:to="info_1075214891820_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                            <loc xlink:type="locator"
xlink:href="dives.xsd#info.scenario.tipo"
xlink:label="info.scenario.tipo_1075214900990_0"
xlink:title="info.scenario.tipo"/>
                                <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: info to info.scenario.tipo"
xlink:from="info_1075214891820_0"
xlink:to="info.scenario.tipo_1075214900990_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
                                    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: info.scenario.tipo to info"
xlink:from="info.scenario.tipo_1075214900990_0"
xlink:to="info_1075214891820_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                                        <loc xlink:type="locator"
xlink:href="dives.xsd#info.segment.prov"
xlink:label="info.segment.prov_1075214906320_0"
xlink:title="info.segment.prov"/>
                                            <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: info to info.segment.prov"
xlink:from="info_1075214891820_0"
xlink:to="info.segment.prov_1075214906320_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>

```

```

        <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: info.segment.prov to info"
xlink:from="info.segment.prov_1075214906320_0"
xlink:to="info_1075214891820_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    </definitionLink>
    <definitionLink xlink:type="extended">
        <loc xlink:type="locator" xlink:href="dives.xsd#ce"
xlink:label="ce_1076088939796_0"
xlink:role="http://www.xbrl.org/linkprops/locator/root"
xlink:title="ce"/>
            <loc xlink:type="locator" xlink:href="dives.xsd#ce.op"
xlink:label="ce.op_1076088939796_1" xlink:title="ce.op"/>
                <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce to ce.op" xlink:from="ce_1076088939796_0"
xlink:to="ce.op_1076088939796_1" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.op to ce"
xlink:from="ce.op_1076088939796_1" xlink:to="ce_1076088939796_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
                    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.ric"
xlink:label="ce.op.ric_1076088949655_0" xlink:title="ce.op.ric"/>
                        <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.op to ce.op.ric"
xlink:from="ce.op_1076088939796_1"
xlink:to="ce.op.ric_1076088949655_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                        <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.op.ric to ce.op"
xlink:from="ce.op.ric_1076088949655_0"
xlink:to="ce.op_1076088939796_1" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.costven"
xlink:label="ce.op.costven_1076088952405_0"
xlink:title="ce.op.costven"/>
                        <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.op to ce.op.costven"
xlink:from="ce.op_1076088939796_1"
xlink:to="ce.op.costven_1076088952405_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                        <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.op.costven to ce.op"
xlink:from="ce.op.costven_1076088952405_0"
xlink:to="ce.op_1076088939796_1" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.acq.mp"

```

```

xlink:label="ce.op.acq.mp_1076088981358_0"
xlink:title="ce.op.acq.mp"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.op.costven to ce.op.acq.mp"
xlink:from="ce.op.costven_1076088952405_0"
xlink:to="ce.op.acq.mp_1076088981358_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.op.acq.mp to ce.op.costven"
xlink:from="ce.op.acq.mp_1076088981358_0"
xlink:to="ce.op.costven_1076088952405_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.acq.lav"
xlink:label="ce.op.acq.lav_1076088983968_0"
xlink:title="ce.op.acq.lav"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.op.costven to ce.op.acq.lav"
xlink:from="ce.op.costven_1076088952405_0"
xlink:to="ce.op.acq.lav_1076088983968_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.op.acq.lav to ce.op.costven"
xlink:from="ce.op.acq.lav_1076088983968_0"
xlink:to="ce.op.costven_1076088952405_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.acq.ser"
xlink:label="ce.op.acq.ser_1076088987640_0"
xlink:title="ce.op.acq.ser"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.op.costven to ce.op.acq.ser"
xlink:from="ce.op.costven_1076088952405_0"
xlink:to="ce.op.acq.ser_1076088987640_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.op.acq.ser to ce.op.costven"
xlink:from="ce.op.acq.ser_1076088987640_0"
xlink:to="ce.op.costven_1076088952405_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.varrim.mpmerc"
xlink:label="ce.op.varrim.mpmerc_1076088991233_0"
xlink:title="ce.op.varrim.mpmerc"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.op.costven to ce.op.varrim.mpmerc"
xlink:from="ce.op.costven_1076088952405_0"
xlink:to="ce.op.varrim.mpmerc_1076088991233_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"

```

```

xlink:title="definition: ce.op.varrim.mppmerc to ce.op.costven"
xlink:from="ce.op.varrim.mppmerc_107608891233_0"
xlink:to="ce.op.costven_1076088952405_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.varrim.sempf"
xlink:label="ce.op.varrim.sempf_1076088996374_0"
xlink:title="ce.op.varrim.sempf"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.op.costven to ce.op.varrim.sempf"
xlink:from="ce.op.costven_1076088952405_0"
xlink:to="ce.op.varrim.sempf_1076088996374_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.op.varrim.sempf to ce.op.costven"
xlink:from="ce.op.varrim.sempf_1076088996374_0"
xlink:to="ce.op.costven_1076088952405_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.costcap"
xlink:label="ce.op.costcap_1076088999108_0"
xlink:title="ce.op.costcap"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.op.costven to ce.op.costcap"
xlink:from="ce.op.costven_1076088952405_0"
xlink:to="ce.op.costcap_1076088999108_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.op.costcap to ce.op.costven"
xlink:from="ce.op.costcap_1076088999108_0"
xlink:to="ce.op.costven_1076088952405_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.costven.tot"
xlink:label="ce.op.costven.tot_1076089001374_0"
xlink:title="ce.op.costven.tot"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.op.costven to ce.op.costven.tot"
xlink:from="ce.op.costven_1076088952405_0"
xlink:to="ce.op.costven.tot_1076089001374_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.op.costven.tot to ce.op.costven"
xlink:from="ce.op.costven.tot_1076089001374_0"
xlink:to="ce.op.costven_1076088952405_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.mol"
xlink:label="ce.op.mol_1076088954452_0" xlink:title="ce.op.mol"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.op to ce.op.mol"

```

```

xlink:from="ce.op_1076088939796_1"
xlink:to="ce.op.mol_1076088954452_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.op.mol to ce.op"
xlink:from="ce.op.mol_1076088954452_0"
xlink:to="ce.op_1076088939796_1" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.amm"
xlink:label="ce.op.amm_1076088960374_0" xlink:title="ce.op.amm"/>
            <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.op to ce.op.amm"
xlink:from="ce.op_1076088939796_1"
xlink:to="ce.op.amm_1076088960374_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.op.amm to ce.op"
xlink:from="ce.op.amm_1076088960374_0"
xlink:to="ce.op_1076088939796_1" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.rop"
xlink:label="ce.op.rop_1076088964593_0" xlink:title="ce.op.rop"/>
                        <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.op to ce.op.rop"
xlink:from="ce.op_1076088939796_1"
xlink:to="ce.op.rop_1076088964593_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                            <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.op.rop to ce.op"
xlink:from="ce.op.rop_1076088964593_0"
xlink:to="ce.op_1076088939796_1" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                                <loc xlink:type="locator" xlink:href="dives.xsd#ce.fin"
xlink:label="ce.fin_1076088942780_0" xlink:title="ce.fin"/>
                                    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce to ce.fin"
xlink:from="ce_1076088939796_0" xlink:to="ce.fin_1076088942780_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
                                        <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.fin to ce"
xlink:from="ce.fin_1076088942780_0" xlink:to="ce_1076088939796_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
                                            <loc xlink:type="locator"
xlink:href="dives.xsd#ce.fin.intatt"
xlink:label="ce.fin.intatt_1076088967687_0"
xlink:title="ce.fin.intatt"/>
                                                <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.fin to ce.fin.intatt"

```

```

xlink:from="ce.fin_1076088942780_0"
xlink:to="ce.fin.intatt_1076088967687_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.fin.intatt to ce.fin"
xlink:from="ce.fin.intatt_1076088967687_0"
xlink:to="ce.fin_1076088942780_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.fin.intpass"
xlink:label="ce.fin.intpass_1076088970327_0"
xlink:title="ce.fin.intpass"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.fin to ce.fin.intpass"
xlink:from="ce.fin_1076088942780_0"
xlink:to="ce.fin.intpass_1076088970327_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.fin.intpass to ce.fin"
xlink:from="ce.fin.intpass_1076088970327_0"
xlink:to="ce.fin_1076088942780_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <loc xlink:type="locator" xlink:href="dives.xsd#ce.fisc"
xlink:label="ce.fisc_1076088944952_0" xlink:title="ce.fisc"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce to ce.fisc"
xlink:from="ce_1076088939796_0" xlink:to="ce.fisc_1076088944952_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.fisc to ce"
xlink:from="ce.fisc_1076088944952_0" xlink:to="ce_1076088939796_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.fisc.imp"
xlink:label="ce.fisc.imp_1076088972890_0" xlink:title="ce.fisc.imp"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.fisc to ce.fisc.imp"
xlink:from="ce.fisc_1076088944952_0"
xlink:to="ce.fisc.imp_1076088972890_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.fisc.imp to ce.fisc"
xlink:from="ce.fisc.imp_1076088972890_0"
xlink:to="ce.fisc_1076088944952_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <loc xlink:type="locator" xlink:href="dives.xsd#ce.tot"
xlink:label="ce.tot_1076088947390_0" xlink:title="ce.tot"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce to ce.tot"

```

```

xlink:from="ce_1076088939796_0" xlink:to="ce.tot_1076088947390_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.tot to ce"
xlink:from="ce.tot_1076088947390_0" xlink:to="ce_1076088939796_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.tot.rlror"
xlink:label="ce.tot.rlror_1076088975296_0" xlink:title="ce.tot.rlror"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.tot to ce.tot.rlror"
xlink:from="ce.tot_1076088947390_0"
xlink:to="ce.tot.rlror_1076088975296_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.tot.rlror to ce.tot"
xlink:from="ce.tot.rlror_1076088975296_0"
xlink:to="ce.tot_1076088947390_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.tot.rnet"
xlink:label="ce.tot.rnet_1076088977702_0" xlink:title="ce.tot.rnet"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="definition: ce.tot to ce.tot.rnet"
xlink:from="ce.tot_1076088947390_0"
xlink:to="ce.tot.rnet_1076088977702_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <definitionArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="definition: ce.tot.rnet to ce.tot"
xlink:from="ce.tot.rnet_1076088977702_0"
xlink:to="ce.tot_1076088947390_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
</definitionLink>
</linkbase>

```

4 - File: dives_linkbase_label.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<!--Generated by Fujitsu Interstage XWand 1.0.109-->
<linkbase xmlns="http://www.xbrl.org/2001/XLink/xbrllinkbase"
xmlns:xbrll="http://www.xbrl.org/2001/XLink/xbrllinkbase"
xmlns:xlink="http://www.w3.org/1999/xlink"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.fujitsu.com/xml/xbrl/taxeditor/default
dives.xsd">
    <labelLink xlink:type="extended">
        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.tot.rlror"
xlink:label="ce.tot.rlror_1076089196671_0" xlink:title="ce.tot.rlror"/>

```

```

        <label xlink:type="resource"
xlink:label="label_ce.tot.rlror_1076089196671_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.tot.rlror" xml:lang="it">Reddito lordo</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label_ce.tot.rlror to label_ce.tot.rlror"
xlink:from="ce.tot.rlror_1076089196671_0"
xlink:to="label_ce.tot.rlror_1076089196671_1"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label_label_ce.tot.rlror to ce.tot.rlror"
xlink:from="label_ce.tot.rlror_1076089196671_1"
xlink:to="ce.tot.rlror_1076089196671_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
            <label xlink:type="resource"
xlink:label="label_ce.tot.rlror_1075213500340_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.tot.rlror" xml:lang="en">EBT</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label_ce.tot.rlror to label_ce.tot.rlror"
xlink:from="ce.tot.rlror_1076089196671_0"
xlink:to="label_ce.tot.rlror_1075213500340_0"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label_label_ce.tot.rlror to ce.tot.rlror"
xlink:from="label_ce.tot.rlror_1075213500340_0"
xlink:to="ce.tot.rlror_1076089196671_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
        </labelLink>
        <labelLink xlink:type="extended">
            <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.acq.ser"
xlink:label="ce.op.acq.ser_1076089255780_0"
xlink:title="ce.op.acq.ser"/>
            <label xlink:type="resource"
xlink:label="label_ce.op.acq.ser_1076089255780_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.acq.ser" xml:lang="it">Costi per
servizi</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label_ce.op.acq.ser to label_ce.op.acq.ser"
xlink:from="ce.op.acq.ser_1076089255780_0"
xlink:to="label_ce.op.acq.ser_1076089255780_1"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label_label_ce.op.acq.ser to ce.op.acq.ser"
xlink:from="label_ce.op.acq.ser_1076089255780_1"
xlink:to="ce.op.acq.ser_1076089255780_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
            <label xlink:type="resource"
xlink:label="label_ce.op.acq.ser_1075213528240_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"

```

```

xlink:title="label_ce.op.acq.ser" xml:lang="en">Cost of
services</label>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.acq.ser to label_ce.op.acq.ser"
xlink:from="ce.op.acq.ser_1076089255780_0"
xlink:to="label_ce.op.acq.ser_1075213528240_0"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.acq.ser to ce.op.acq.ser"
xlink:from="label_ce.op.acq.ser_1075213528240_0"
xlink:to="ce.op.acq.ser_1076089255780_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
</labelLink>
<labelLink xlink:type="extended">
    <loc xlink:type="locator" xlink:href="dives.xsd#ce"
xlink:label="ce_1076089025249_0" xlink:title="ce"/>
        <label xlink:type="resource"
xlink:label="label_ce_1076089025249_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce" xml:lang="it">Conto economico</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce to label_ce" xlink:from="ce_1076089025249_0"
xlink:to="label_ce_1076089025249_1" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce to ce"
xlink:from="label_ce_1076089025249_1" xlink:to="ce_1076089025249_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
            <label xlink:type="resource"
xlink:label="label_ce_1075213400100_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce" xml:lang="en">Financial statement</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce to label_ce" xlink:from="ce_1076089025249_0"
xlink:to="label_ce_1075213400100_0" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce to ce"
xlink:from="label_ce_1075213400100_0" xlink:to="ce_1076089025249_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
</labelLink>
<labelLink xlink:type="extended">
    <loc xlink:type="locator" xlink:href="dives.xsd#ce.tot"
xlink:label="ce.tot_1076089084421_0" xlink:title="ce.tot"/>
        <label xlink:type="resource"
xlink:label="label_ce.tot_1076089084421_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.tot" xml:lang="it">Area totale</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.tot to label_ce.tot"

```

```

xlink:from="ce.tot_1076089084421_0"
xlink:to="label_ce.tot_1076089084421_1" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.tot to ce.tot"
xlink:from="label_ce.tot_1076089084421_1"
xlink:to="ce.tot_1076089084421_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <label xlink:type="resource"
xlink:label="label_ce.tot_1075213434920_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.tot" xml:lang="en">Total area</label>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.tot to label_ce.tot"
xlink:from="ce.tot_1076089084421_0"
xlink:to="label_ce.tot_1075213434920_0" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.tot to ce.tot"
xlink:from="label_ce.tot_1075213434920_0"
xlink:to="ce.tot_1076089084421_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    </labelLink>
    <labelLink xlink:type="extended">
        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.ric"
xlink:label="ce.op.ric_1076089098530_0" xlink:title="ce.op.ric"/>
        <label xlink:type="resource"
xlink:label="label_ce.op.ric_1076089098530_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.ric" xml:lang="it">Ricavi di vendita</label>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.ric to label_ce.op.ric"
xlink:from="ce.op.ric_1076089098530_0"
xlink:to="label_ce.op.ric_1076089098530_1" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.ric to ce.op.ric"
xlink:from="label_ce.op.ric_1076089098530_1"
xlink:to="ce.op.ric_1076089098530_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
        <label xlink:type="resource"
xlink:label="label_ce.op.ric_1075213443220_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.ric" xml:lang="en">Revenues</label>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.ric to label_ce.op.ric"
xlink:from="ce.op.ric_1076089098530_0"
xlink:to="label_ce.op.ric_1075213443220_0" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"

```

```

xlink:title="label: label_ce.op.ric to ce.op.ric"
xlink:from="label_ce.op.ric_1075213443220_0"
xlink:to="ce.op.ric_1076089098530_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    </labelLink>
    <labelLink xlink:type="extended">
        <loc xlink:type="locator"
xlink:href="dives.xsd#info.scenario.tipo"
xlink:label="info.scenario.tipo_1075213262950_0"
xlink:title="info.scenario.tipo"/>
            <label xlink:type="resource"
xlink:label="label_info.scenario.tipo_1075213262950_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_info.scenario.tipo" xml:lang="it">Tipo
scenario</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: info.scenario.tipo to label_info.scenario.tipo"
xlink:from="info.scenario.tipo_1075213262950_0"
xlink:to="label_info.scenario.tipo_1075213262950_1"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
                <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_info.scenario.tipo to info.scenario.tipo"
xlink:from="label_info.scenario.tipo_1075213262950_1"
xlink:to="info.scenario.tipo_1075213262950_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
                <label xlink:type="resource"
xlink:label="label_info.scenario.tipo_1075213582010_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_info.scenario.tipo" xml:lang="en">Scenario
Type</label>
                <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: info.scenario.tipo to label_info.scenario.tipo"
xlink:from="info.scenario.tipo_1075213262950_0"
xlink:to="label_info.scenario.tipo_1075213582010_0"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
                <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_info.scenario.tipo to info.scenario.tipo"
xlink:from="label_info.scenario.tipo_1075213262950_0"
xlink:to="info.scenario.tipo_1075213262950_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
            </labelLink>
            <labelLink xlink:type="extended">
                <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.acq.mp"
xlink:label="ce.op.acq.mp_1076089224077_0"
xlink:title="ce.op.acq.mp"/>
                <label xlink:type="resource"
xlink:label="label_ce.op.acq.mp_1076089224077_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.acq.mp" xml:lang="it">Acquisto materie
prime</label>
                <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.acq.mp to label_ce.op.acq.mp"

```

```

xlink:from="ce.op.acq.mp_1076089224077_0"
xlink:to="label_ce.op.acq.mp_1076089224077_1"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.acq.mp to ce.op.acq.mp"
xlink:from="label_ce.op.acq.mp_1076089224077_1"
xlink:to="ce.op.acq.mp_1076089224077_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <label xlink:type="resource"
xlink:label="label_ce.op.acq.mp_1075213513140_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.acq.mp" xml:lang="en">Cost of raw
materials</label>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.acq.mp to label_ce.op.acq.mp"
xlink:from="ce.op.acq.mp_1076089224077_0"
xlink:to="label_ce.op.acq.mp_1075213513140_0"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.acq.mp to ce.op.acq.mp"
xlink:from="label_ce.op.acq.mp_1075213513140_0"
xlink:to="ce.op.acq.mp_1076089224077_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    </labelLink>
    <labelLink xlink:type="extended">
        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.tot.rnet"
xlink:label="ce.tot.rnet_1076089207968_0" xlink:title="ce.tot.rnet"/>
        <label xlink:type="resource"
xlink:label="label_ce.tot.rnet_1076089207968_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.tot.rnet" xml:lang="it">Reddito netto</label>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.tot.rnet to label_ce.tot.rnet"
xlink:from="ce.tot.rnet_1076089207968_0"
xlink:to="label_ce.tot.rnet_1076089207968_1"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.tot.rnet to ce.tot.rnet"
xlink:from="label_ce.tot.rnet_1076089207968_1"
xlink:to="ce.tot.rnet_1076089207968_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
        <label xlink:type="resource"
xlink:label="label_ce.tot.rnet_1075213506980_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.tot.rnet" xml:lang="en">Net earnings</label>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.tot.rnet to label_ce.tot.rnet"
xlink:from="ce.tot.rnet_1076089207968_0"
xlink:to="label_ce.tot.rnet_1075213506980_0"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>

```

```

        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.tot.rnet to ce.tot.rnet"
xlink:from="label_ce.tot.rnet_1075213506980_0"
xlink:to="ce.tot.rnet_1076089207968_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    </labelLink>
    <labelLink xlink:type="extended">
        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.mol"
xlink:label="ce.op.mol_1076089126687_0" xlink:title="ce.op.mol"/>
            <label xlink:type="resource"
xlink:label="label_ce.op.mol_1076089126687_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.mol" xml:lang="it">Margine operativo
lordo</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.mol to label_ce.op.mol"
xlink:from="ce.op.mol_1076089126687_0"
xlink:to="label_ce.op.mol_1076089126687_1" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.mol to ce.op.mol"
xlink:from="label_ce.op.mol_1076089126687_1"
xlink:to="ce.op.mol_1076089126687_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
            <label xlink:type="resource"
xlink:label="label_ce.op.mol_1075213457440_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.mol" xml:lang="en">EBITDA</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.mol to label_ce.op.mol"
xlink:from="ce.op.mol_1076089126687_0"
xlink:to="label_ce.op.mol_1075213457440_0" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.mol to ce.op.mol"
xlink:from="label_ce.op.mol_1075213457440_0"
xlink:to="ce.op.mol_1076089126687_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
        </labelLink>
        <labelLink xlink:type="extended">
            <loc xlink:type="locator"
xlink:href="dives.xsd#info.sede"
xlink:label="info.sede_1075213229340_0" xlink:title="info.sede"/>
                <label xlink:type="resource"
xlink:label="label_info.sede_1075213229340_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_info.sede" xml:lang="it">Sede</label>
                <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: info.sede to label_info.sede"
xlink:from="info.sede_1075213229340_0"

```

```

xlink:to="label_info.sede_1075213229340_1" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_info.sede to info.sede"
xlink:from="label_info.sede_1075213229340_1"
xlink:to="info.sede_1075213229340_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
        <label xlink:type="resource"
xlink:label="label_info.sede_1075213576850_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_info.sede" xml:lang="en">Registered office</label>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: info.sede to label_info.sede"
xlink:from="info.sede_1075213229340_0"
xlink:to="label_info.sede_1075213576850_0" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_info.sede to info.sede"
xlink:from="label_info.sede_1075213576850_0"
xlink:to="info.sede_1075213229340_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
        </labelLink>
        <labelLink xlink:type="extended">
            <loc xlink:type="locator" xlink:href="dives.xsd#ce.fisc"
xlink:label="ce.fisc_1076089072140_0" xlink:title="ce.fisc"/>
                <label xlink:type="resource"
xlink:label="label_ce.fisc_1076089072140_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.fisc" xml:lang="it">Area fiscale</label>
                <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.fisc to label_ce.fisc"
xlink:from="ce.fisc_1076089072140_0"
xlink:to="label_ce.fisc_1076089072140_1" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
                    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.fisc to ce.fisc"
xlink:from="label_ce.fisc_1076089072140_1"
xlink:to="ce.fisc_1076089072140_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                    <label xlink:type="resource"
xlink:label="label_ce.fisc_1075213428060_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.fisc" xml:lang="en">Fiscal area</label>
                    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.fisc to label_ce.fisc"
xlink:from="ce.fisc_1076089072140_0"
xlink:to="label_ce.fisc_1075213428060_0" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
                    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.fisc to ce.fisc"
xlink:from="label_ce.fisc_1075213428060_0"

```

```

xlink:to="ce.fisc_1076089072140_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    </labelLink>
    <labelLink xlink:type="extended">
        <loc xlink:type="locator" xlink:href="dives.xsd#ce.op"
xlink:label="ce.op_1076089038937_0" xlink:title="ce.op"/>
            <label xlink:type="resource"
xlink:label="label_ce.op_1076089038937_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op" xml:lang="it">Area operativa</label>
                <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op to label_ce.op"
xlink:from="ce.op_1076089038937_0"
xlink:to="label_ce.op_1076089038937_1" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
                    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op to ce.op"
xlink:from="label_ce.op_1076089038937_1"
xlink:to="ce.op_1076089038937_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                        <label xlink:type="resource"
xlink:label="label_ce.op_1075213412570_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op" xml:lang="en">Operational area</label>
                            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op to label_ce.op"
xlink:from="ce.op_1076089038937_0"
xlink:to="label_ce.op_1075213412570_0" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
                                <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op to ce.op"
xlink:from="label_ce.op_1075213412570_0"
xlink:to="ce.op_1076089038937_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                            </labelLink>
                            <labelLink xlink:type="extended">
                                <loc xlink:type="locator" xlink:href="dives.xsd#info"
xlink:label="info_1075213207370_0" xlink:title="info"/>
                                    <label xlink:type="resource"
xlink:label="label_info_1075213207370_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_info" xml:lang="it">Info</label>
                                    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: info to label_info"
xlink:from="info_1075213207370_0"
xlink:to="label_info_1075213207370_1" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
                                    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_info to info"
xlink:from="label_info_1075213207370_1"

```

```

xlink:to="info_1075213207370_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <label xlink:type="resource"
xlink:label="label_info_1075213564660_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_info" xml:lang="en">Info</label>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: info to label_info"
xlink:from="info_1075213207370_0"
xlink:to="label_info_1075213564660_0" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_info to info"
xlink:from="label_info_1075213564660_0"
xlink:to="info_1075213207370_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
</labelLink>
<labelLink xlink:type="extended">
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.varrim.mpmerc"
xlink:label="ce.op.varrim.mpmerc_1076089285218_0"
xlink:title="ce.op.varrim.mpmerc"/>
        <label xlink:type="resource"
xlink:label="label_ce.op.varrim.mpmerc_1076089285218_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.varrim.mpmerc" xml:lang="it">Variazione
delle rimanenze di materie prime e merci</label>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.varrim.mpmerc to label_ce.op.varrim.mpmerc"
xlink:from="ce.op.varrim.mpmerc_1076089285218_0"
xlink:to="label_ce.op.varrim.mpmerc_1076089285218_1"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.varrim.mpmerc to ce.op.varrim.mpmerc"
xlink:from="label_ce.op.varrim.mpmerc_1076089285218_1"
xlink:to="ce.op.varrim.mpmerc_1076089285218_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
        <label xlink:type="resource"
xlink:label="label_ce.op.varrim.mpmerc_1075213538240_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.varrim.mpmerc" xml:lang="en">Change in stock
- Raw materials and commodities</label>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.varrim.mpmerc to label_ce.op.varrim.mpmerc"
xlink:from="ce.op.varrim.mpmerc_1076089285218_0"
xlink:to="label_ce.op.varrim.mpmerc_1075213538240_0"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.varrim.mpmerc to ce.op.varrim.mpmerc"
xlink:from="label_ce.op.varrim.mpmerc_1075213538240_0"
xlink:to="ce.op.varrim.mpmerc_1076089285218_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>

```

```

        </labelLink>
        <labelLink xlink:type="extended">
            <loc xlink:type="locator"
xlink:href="dives.xsd#info.segment.prov"
xlink:label="info.segment.prov_1075213277400_0"
xlink:title="info.segment.prov"/>
            <label xlink:type="resource"
xlink:label="label_info.segment.prov_1075213277400_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_info.segment.prov" xml:lang="it">Provincia</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: info.segment.prov to label_info.segment.prov"
xlink:from="info.segment.prov_1075213277400_0"
xlink:to="label_info.segment.prov_1075213277400_1"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_info.segment.prov to info.segment.prov"
xlink:from="label_info.segment.prov_1075213277400_1"
xlink:to="info.segment.prov_1075213277400_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
            <label xlink:type="resource"
xlink:label="label_info.segment.prov_1075213589100_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_info.segment.prov" xml:lang="en">Province</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: info.segment.prov to label_info.segment.prov"
xlink:from="info.segment.prov_1075213277400_0"
xlink:to="label_info.segment.prov_1075213589100_0"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_info.segment.prov to info.segment.prov"
xlink:from="label_info.segment.prov_1075213589100_0"
xlink:to="info.segment.prov_1075213277400_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
        </labelLink>
        <labelLink xlink:type="extended">
            <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.varrim.sempf"
xlink:label="ce.op.varrim.sempf_1076089313608_0"
xlink:title="ce.op.varrim.sempf"/>
            <label xlink:type="resource"
xlink:label="label_ce.op.varrim.sempf_1076089313608_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.varrim.sempf" xml:lang="it">Variazione
rimanenze di semilavorati e prodotti finiti</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.varrim.sempf to label_ce.op.varrim.sempf"
xlink:from="ce.op.varrim.sempf_1076089313608_0"
xlink:to="label_ce.op.varrim.sempf_1076089313608_1"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"

```

```

xlink:title="label: label_ce.op.varrim.sempf to ce.op.varrim.sempf"
xlink:from="label_ce.op.varrim.sempf_1076089313608_1"
xlink:to="ce.op.varrim.sempf_1076089313608_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
    <label xlink:type="resource"
xlink:label="label_ce.op.varrim.sempf_1075213543560_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.varrim.sempf" xml:lang="en">Change in stock
- Work in progress and finished goods</label>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.varrim.sempf to label_ce.op.varrim.sempf"
xlink:from="ce.op.varrim.sempf_1076089313608_0"
xlink:to="label_ce.op.varrim.sempf_1075213543560_0"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.varrim.sempf to ce.op.varrim.sempf"
xlink:from="label_ce.op.varrim.sempf_1075213543560_0"
xlink:to="ce.op.varrim.sempf_1076089313608_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
    </labelLink>
    <labelLink xlink:type="extended">
        <loc xlink:type="locator" xlink:href="dives.xsd#ce.fin"
xlink:label="ce.fin_1076089055437_0" xlink:title="ce.fin"/>
            <label xlink:type="resource"
xlink:label="label_ce.fin_1076089055437_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.fin" xml:lang="it">Area finanziaria</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.fin to label_ce.fin"
xlink:from="ce.fin_1076089055437_0"
xlink:to="label_ce.fin_1076089055437_1" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
                <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.fin to ce.fin"
xlink:from="label_ce.fin_1076089055437_1"
xlink:to="ce.fin_1076089055437_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                    <label xlink:type="resource"
xlink:label="label_ce.fin_1075213419760_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.fin" xml:lang="en">Financial area</label>
                    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.fin to label_ce.fin"
xlink:from="ce.fin_1076089055437_0"
xlink:to="label_ce.fin_1075213419760_0" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
                        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.fin to ce.fin"
xlink:from="label_ce.fin_1075213419760_0"
xlink:to="ce.fin_1076089055437_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                </labelLink>

```

```

<labelLink xlink:type="extended">
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.costcap"
xlink:label="ce.op.costcap_1076089357421_0"
xlink:title="ce.op.costcap"/>
        <label xlink:type="resource"
xlink:label="label_ce.op.costcap_1076089357421_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.costcap" xml:lang="it">Costi capitalizzati
nell'esercizio</label>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.costcap to label_ce.op.costcap"
xlink:from="ce.op.costcap_1076089357421_0"
xlink:to="label_ce.op.costcap_1076089357421_1"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.costcap to ce.op.costcap"
xlink:from="label_ce.op.costcap_1076089357421_1"
xlink:to="ce.op.costcap_1076089357421_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
        <label xlink:type="resource"
xlink:label="label_ce.op.costcap_1075213550100_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.costcap" xml:lang="en">Deferred
expenses</label>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.costcap to label_ce.op.costcap"
xlink:from="ce.op.costcap_1076089357421_0"
xlink:to="label_ce.op.costcap_1075213550100_0"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.costcap to ce.op.costcap"
xlink:from="label_ce.op.costcap_1075213550100_0"
xlink:to="ce.op.costcap_1076089357421_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    </labelLink>
    <labelLink xlink:type="extended">
        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.costven"
xlink:label="ce.op.costven_1076089112499_0"
xlink:title="ce.op.costven"/>
        <label xlink:type="resource"
xlink:label="label_ce.op.costven_1076089112499_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.costven" xml:lang="it">Costo della
produzione venduta</label>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.costven to label_ce.op.costven"
xlink:from="ce.op.costven_1076089112499_0"
xlink:to="label_ce.op.costven_1076089112499_1"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"

```

```

xlink:title="label: label_ce.op.costven to ce.op.costven"
xlink:from="label_ce.op.costven_1076089112499_1"
xlink:to="ce.op.costven_1076089112499_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <label xlink:type="resource"
xlink:label="label_ce.op.costven_1075213450470_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.costven" xml:lang="en">Cost of goods
sold</label>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.costven to label_ce.op.costven"
xlink:from="ce.op.costven_1076089112499_0"
xlink:to="label_ce.op.costven_1075213450470_0"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.costven to ce.op.costven"
xlink:from="label_ce.op.costven_1075213450470_0"
xlink:to="ce.op.costven_1076089112499_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
</labelLink>
<labelLink xlink:type="extended">
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.rop"
xlink:label="ce.op.rop_1076089147812_0" xlink:title="ce.op.rop"/>
        <label xlink:type="resource"
xlink:label="label_ce.op.rop_1076089147812_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.rop" xml:lang="it">Reddito operativo</label>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.rop to label_ce.op.rop"
xlink:from="ce.op.rop_1076089147812_0"
xlink:to="label_ce.op.rop_1076089147812_1" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.rop to ce.op.rop"
xlink:from="label_ce.op.rop_1076089147812_1"
xlink:to="ce.op.rop_1076089147812_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
        <label xlink:type="resource"
xlink:label="label_ce.op.rop_1075213471940_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.rop" xml:lang="en">EBIT</label>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.rop to label_ce.op.rop"
xlink:from="ce.op.rop_1076089147812_0"
xlink:to="label_ce.op.rop_1075213471940_0" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.rop to ce.op.rop"
xlink:from="label_ce.op.rop_1075213471940_0"
xlink:to="ce.op.rop_1076089147812_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>

```

```

        </labelLink>
        <labelLink xlink:type="extended">
            <loc xlink:type="locator"
xlink:href="dives.xsd#ce.fisc.imp"
xlink:label="ce.fisc.imp_1076089186624_0" xlink:title="ce.fisc.imp"/>
                <label xlink:type="resource"
xlink:label="label_ce.fisc.imp_1076089186624_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.fisc.imp" xml:lang="it">Imposte sul
reddito</label>
                <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.fisc.imp to label_ce.fisc.imp"
xlink:from="ce.fisc.imp_1076089186624_0"
xlink:to="label_ce.fisc.imp_1076089186624_1"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
                    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.fisc.imp to ce.fisc.imp"
xlink:from="label_ce.fisc.imp_1076089186624_1"
xlink:to="ce.fisc.imp_1076089186624_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                    <label xlink:type="resource"
xlink:label="label_ce.fisc.imp_1075213489850_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.fisc.imp" xml:lang="en">Taxes</label>
                    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.fisc.imp to label_ce.fisc.imp"
xlink:from="ce.fisc.imp_1076089186624_0"
xlink:to="label_ce.fisc.imp_1075213489850_0"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
                    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.fisc.imp to ce.fisc.imp"
xlink:from="label_ce.fisc.imp_1075213489850_0"
xlink:to="ce.fisc.imp_1076089186624_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
                </labelLink>
                <labelLink xlink:type="extended">
                    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.fin.intpass"
xlink:label="ce.fin.intpass_1076089173468_0"
xlink:title="ce.fin.intpass"/>
                    <label xlink:type="resource"
xlink:label="label_ce.fin.intpass_1076089173468_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.fin.intpass" xml:lang="it">Interessi
passivi</label>
                    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.fin.intpass to label_ce.fin.intpass"
xlink:from="ce.fin.intpass_1076089173468_0"
xlink:to="label_ce.fin.intpass_1076089173468_1"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
                    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"

```

```

xlink:title="label: label_ce.fin.intpass to ce.fin.intpass"
xlink:from="label_ce.fin.intpass_1076089173468_1"
xlink:to="ce.fin.intpass_1076089173468_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <label xlink:type="resource"
xlink:label="label_ce.fin.intpass_1075213483920_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.fin.intpass" xml:lang="en">Interest
expenses</label>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.fin.intpass to label_ce.fin.intpass"
xlink:from="ce.fin.intpass_1076089173468_0"
xlink:to="label_ce.fin.intpass_1075213483920_0"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.fin.intpass to ce.fin.intpass"
xlink:from="label_ce.fin.intpass_1075213483920_0"
xlink:to="ce.fin.intpass_1076089173468_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    </labelLink>
    <labelLink xlink:type="extended">
        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.amm"
xlink:label="ce.op.amm_1076089136327_0" xlink:title="ce.op.amm"/>
            <label xlink:type="resource"
xlink:label="label_ce.op.amm_1076089136327_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.amm" xml:lang="it">Ammortamenti</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.amm to label_ce.op.amm"
xlink:from="ce.op.amm_1076089136327_0"
xlink:to="label_ce.op.amm_1076089136327_1" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.amm to ce.op.amm"
xlink:from="label_ce.op.amm_1076089136327_1"
xlink:to="ce.op.amm_1076089136327_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
            <label xlink:type="resource"
xlink:label="label_ce.op.amm_1075213464800_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.amm" xml:lang="en">Depreciation and
amortization</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.amm to label_ce.op.amm"
xlink:from="ce.op.amm_1076089136327_0"
xlink:to="label_ce.op.amm_1075213464800_0" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.amm to ce.op.amm"
xlink:from="label_ce.op.amm_1075213464800_0"

```

```

        xlink:to="ce.op.amm_1076089136327_0" xlink:actuate="onRequest"
        xlink:show="replace" priority="0"/>
    </labelLink>
    <labelLink xlink:type="extended">
        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.costven.tot"
xlink:label="ce.op.costven.tot_1076089399874_0"
xlink:title="ce.op.costven.tot"/>
        <label xlink:type="resource"
xlink:label="label_ce.op.costven.tot_1076089399874_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.costven.tot" xml:lang="it">Totale costo
della produzione venduta</label>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.costven.tot to label_ce.op.costven.tot"
xlink:from="ce.op.costven.tot_1076089399874_0"
xlink:to="label_ce.op.costven.tot_1076089399874_1"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.costven.tot to ce.op.costven.tot"
xlink:from="label_ce.op.costven.tot_1076089399874_1"
xlink:to="ce.op.costven.tot_1076089399874_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
        <label xlink:type="resource"
xlink:label="label_ce.op.costven.tot_1075213556420_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.costven.tot" xml:lang="en">Total cost of
goods sold</label>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.costven.tot to label_ce.op.costven.tot"
xlink:from="ce.op.costven.tot_1076089399874_0"
xlink:to="label_ce.op.costven.tot_1075213556420_0"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.costven.tot to ce.op.costven.tot"
xlink:from="label_ce.op.costven.tot_1075213556420_0"
xlink:to="ce.op.costven.tot_1076089399874_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
    </labelLink>
    <labelLink xlink:type="extended">
        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.acq.lav"
xlink:label="ce.op.acq.lav_1076089240343_0"
xlink:title="ce.op.acq.lav"/>
        <label xlink:type="resource"
xlink:label="label_ce.op.acq.lav_1076089240343_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.acq.lav" xml:lang="it">Costo del
lavoro</label>
        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.acq.lav to label_ce.op.acq.lav"
xlink:from="ce.op.acq.lav_1076089240343_0"

```

```

xlink:to="label_ce.op.acq.lav_1076089240343_1"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.acq.lav to ce.op.acq.lav"
xlink:from="label_ce.op.acq.lav_1076089240343_1"
xlink:to="ce.op.acq.lav_1076089240343_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <label xlink:type="resource"
xlink:label="label_ce.op.acq.lav_1075213520170_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.op.acq.lav" xml:lang="en">Cost of
labour</label>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.op.acq.lav to label_ce.op.acq.lav"
xlink:from="ce.op.acq.lav_1076089240343_0"
xlink:to="label_ce.op.acq.lav_1075213520170_0"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.op.acq.lav to ce.op.acq.lav"
xlink:from="label_ce.op.acq.lav_1075213520170_0"
xlink:to="ce.op.acq.lav_1076089240343_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
</labelLink>
<labelLink xlink:type="extended">
    <loc xlink:type="locator"
xlink:href="dives.xsd#info.nome"
xlink:label="info.nome_1075213217470_0" xlink:title="info.nome"/>
    <label xlink:type="resource"
xlink:label="label_info.nome_1075213217470_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_info.nome" xml:lang="it">Nome della
società</label>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: info.nome to label_info.nome"
xlink:from="info.nome_1075213217470_0"
xlink:to="label_info.nome_1075213217470_1" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_info.nome to info.nome"
xlink:from="label_info.nome_1075213217470_1"
xlink:to="info.nome_1075213217470_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    <label xlink:type="resource"
xlink:label="label_info.nome_1075213571080_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_info.nome" xml:lang="en">Company style</label>
    <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: info.nome to label_info.nome"
xlink:from="info.nome_1075213217470_0"
xlink:to="label_info.nome_1075213571080_0" xlink:actuate="onRequest"
xlink:show="embed" priority="0"/>

```

```

        <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_info.nome to info.nome"
xlink:from="label_info.nome_1075213571080_0"
xlink:to="info.nome_1075213217470_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
    </labelLink>
    <labelLink xlink:type="extended">
        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.fin.intatt"
xlink:label="ce.fin.intatt_1076089162015_0"
xlink:title="ce.fin.intatt"/>
            <label xlink:type="resource"
xlink:label="label_ce.fin.intatt_1076089162015_1"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.fin.intatt" xml:lang="it">Interessi
attivi</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.fin.intatt to label_ce.fin.intatt"
xlink:from="ce.fin.intatt_1076089162015_0"
xlink:to="label_ce.fin.intatt_1076089162015_1"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.fin.intatt to ce.fin.intatt"
xlink:from="label_ce.fin.intatt_1076089162015_1"
xlink:to="ce.fin.intatt_1076089162015_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
            <label xlink:type="resource"
xlink:label="label_ce.fin.intatt_1075213477980_0"
xlink:role="http://www.xbrl.org/linkprops/label/standard"
xlink:title="label_ce.fin.intatt" xml:lang="en">Interest
income</label>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/element-label"
xlink:title="label: ce.fin.intatt to label_ce.fin.intatt"
xlink:from="ce.fin.intatt_1076089162015_0"
xlink:to="label_ce.fin.intatt_1075213477980_0"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
            <labelArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/label-element"
xlink:title="label: label_ce.fin.intatt to ce.fin.intatt"
xlink:from="label_ce.fin.intatt_1075213477980_0"
xlink:to="ce.fin.intatt_1076089162015_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0"/>
        </labelLink>
    </linkbase>

```

5 - File: dives_linkbase_presentation.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<!--Generated by Fujitsu Interstage XWand 1.0.109-->
<linkbase xmlns="http://www.xbrl.org/2001/XLink/xbrllinkbase"
xmlns:xbrll="http://www.xbrl.org/2001/XLink/xbrllinkbase">

```

```

xmlns:xlink="http://www.w3.org/1999/xlink"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.fujitsu.com/xml/xbrl/taxeditor/default
dives.xsd">
    <presentationLink xlink:type="extended">
        <loc xlink:type="locator" xlink:href="dives.xsd#ce"
xlink:label="ce_1076089467233_0"
xlink:role="http://www.xbrl.org/linkprops/locator/root"
xlink:title="ce"/>
            <loc xlink:type="locator"
xlink:href="dives.xsd#info.nome"
xlink:label="info.nome_1075214274680_0" xlink:title="info.nome"/>
                <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce to info.nome"
xlink:from="ce_1076089467233_0" xlink:to="info.nome_1075214274680_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
order="1.0"/>
                <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: info.nome to ce"
xlink:from="info.nome_1075214274680_0" xlink:to="ce_1076089467233_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
order="11.0"/>
                <loc xlink:type="locator"
xlink:href="dives.xsd#info.sede"
xlink:label="info.sede_1075214311810_0" xlink:title="info.sede"/>
                    <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce to info.sede"
xlink:from="ce_1076089467233_0" xlink:to="info.sede_1075214311810_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
order="2.0"/>
                    <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: info.sede to ce"
xlink:from="info.sede_1075214311810_0" xlink:to="ce_1076089467233_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
order="12.0"/>
                    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.ric"
xlink:label="ce.op.ric_1076089467233_1" xlink:title="ce.op.ric"/>
                        <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce to ce.op.ric"
xlink:from="ce_1076089467233_0" xlink:to="ce.op.ric_1076089467233_1"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
order="3.0"/>
                        <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.op.ric to ce"
xlink:from="ce.op.ric_1076089467233_1" xlink:to="ce_1076089467233_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
order="1.0"/>
                        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.costven"
xlink:label="ce.op.costven_1076089470921_0"
xlink:title="ce.op.costven"/>

```

```

        <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce to ce.op.costven"
xlink:from="ce_1076089467233_0"
xlink:to="ce.op.costven_1076089470921_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="4.0"/>
            <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.op.costven to ce"
xlink:from="ce.op.costven_1076089470921_0"
xlink:to="ce_1076089467233_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="2.0"/>
            <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.acq.mp"
xlink:label="ce.op.acq.mp_1076089558999_0"
xlink:title="ce.op.acq.mp"/>
            <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce.op.costven to ce.op.acq.mp"
xlink:from="ce.op.costven_1076089470921_0"
xlink:to="ce.op.acq.mp_1076089558999_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="1.0"/>
            <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.op.acq.mp to ce.op.costven"
xlink:from="ce.op.acq.mp_1076089558999_0"
xlink:to="ce.op.costven_1076089470921_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="1.0"/>
            <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.acq.lav"
xlink:label="ce.op.acq.lav_1076089564046_0"
xlink:title="ce.op.acq.lav"/>
            <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce.op.costven to ce.op.acq.lav"
xlink:from="ce.op.costven_1076089470921_0"
xlink:to="ce.op.acq.lav_1076089564046_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="2.0"/>
            <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.op.acq.lav to ce.op.costven"
xlink:from="ce.op.acq.lav_1076089564046_0"
xlink:to="ce.op.costven_1076089470921_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="2.0"/>
            <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.acq.ser"
xlink:label="ce.op.acq.ser_1076089567077_0"
xlink:title="ce.op.acq.ser"/>
            <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce.op.costven to ce.op.acq.ser"
xlink:from="ce.op.costven_1076089470921_0"
xlink:to="ce.op.acq.ser_1076089567077_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="3.0"/>
            <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.op.acq.ser to ce.op.costven"
xlink:from="ce.op.acq.ser_1076089567077_0"

```

```

xlink:to="ce.op.costven_1076089470921_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="3.0"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.varrim.mpmerc"
xlink:label="ce.op.varrim.mpmerc_1076089570124_0"
xlink:title="ce.op.varrim.mpmerc"/>
        <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce.op.costven to ce.op.varrim.mpmerc"
xlink:from="ce.op.costven_1076089470921_0"
xlink:to="ce.op.varrim.mpmerc_1076089570124_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
order="4.0"/>
        <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.op.varrim.mpmerc to ce.op.costven"
xlink:from="ce.op.varrim.mpmerc_1076089570124_0"
xlink:to="ce.op.costven_1076089470921_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="4.0"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.varrim.sempf"
xlink:label="ce.op.varrim.sempf_1076089572796_0"
xlink:title="ce.op.varrim.sempf"/>
        <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce.op.costven to ce.op.varrim.sempf"
xlink:from="ce.op.costven_1076089470921_0"
xlink:to="ce.op.varrim.sempf_1076089572796_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
order="5.0"/>
        <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.op.varrim.sempf to ce.op.costven"
xlink:from="ce.op.varrim.sempf_1076089572796_0"
xlink:to="ce.op.costven_1076089470921_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="5.0"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.costcap"
xlink:label="ce.op.costcap_1076089576593_0"
xlink:title="ce.op.costcap"/>
        <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce.op.costven to ce.op.costcap"
xlink:from="ce.op.costven_1076089470921_0"
xlink:to="ce.op.costcap_1076089576593_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="6.0"/>
        <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.op.costcap to ce.op.costven"
xlink:from="ce.op.costcap_1076089576593_0"
xlink:to="ce.op.costven_1076089470921_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="6.0"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.costven.tot"
xlink:label="ce.op.costven.tot_1076089580515_0"
xlink:title="ce.op.costven.tot"/>
        <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"

```

```

xlink:title="presentation: ce.op.costven to ce.op.costven.tot"
xlink:from="ce.op.costven_1076089470921_0"
xlink:to="ce.op.costven.tot_1076089580515_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
order="7.0"/>
    <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.op.costven.tot to ce.op.costven"
xlink:from="ce.op.costven.tot_1076089580515_0"
xlink:to="ce.op.costven_1076089470921_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="7.0"/>
        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.mol"
xlink:label="ce.op.mol_1076089475999_0" xlink:title="ce.op.mol"/>
            <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce to ce.op.mol"
xlink:from="ce_1076089467233_0" xlink:to="ce.op.mol_1076089475999_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
order="6.0"/>
                <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.op.mol to ce"
xlink:from="ce.op.mol_1076089475999_0" xlink:to="ce_1076089467233_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
order="3.0"/>
                    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.amm"
xlink:label="ce.op.amm_1076089479515_0" xlink:title="ce.op.amm"/>
                        <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce to ce.op.amm"
xlink:from="ce_1076089467233_0" xlink:to="ce.op.amm_1076089479515_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
order="6.0"/>
                            <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.op.amm to ce"
xlink:from="ce.op.amm_1076089479515_0" xlink:to="ce_1076089467233_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
order="4.0"/>
                                <loc xlink:type="locator"
xlink:href="dives.xsd#ce.op.rop"
xlink:label="ce.op.rop_1076089482046_0" xlink:title="ce.op.rop"/>
                                    <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce to ce.op.rop"
xlink:from="ce_1076089467233_0" xlink:to="ce.op.rop_1076089482046_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
order="7.0"/>
                                        <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.op.rop to ce"
xlink:from="ce.op.rop_1076089482046_0" xlink:to="ce_1076089467233_0"
xlink:actuate="onRequest" xlink:show="replace" priority="0"
order="5.0"/>
                                            <loc xlink:type="locator"
xlink:href="dives.xsd#ce.fin.intatt"

```

```

xlink:label="ce.fin.intatt_1076089487390_0"
xlink:title="ce.fin.intatt"/>
    <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce to ce.fin.intatt"
xlink:from="ce_1076089467233_0"
xlink:to="ce.fin.intatt_1076089487390_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="8.0"/>
    <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.fin.intatt to ce"
xlink:from="ce.fin.intatt_1076089487390_0"
xlink:to="ce_1076089467233_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="6.0"/>
        <loc xlink:type="locator"
xlink:href="dives.xsd#ce.fin.intpass"
xlink:label="ce.fin.intpass_1076089490124_0"
xlink:title="ce.fin.intpass"/>
            <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce to ce.fin.intpass"
xlink:from="ce_1076089467233_0"
xlink:to="ce.fin.intpass_1076089490124_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="9.0"/>
            <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.fin.intpass to ce"
xlink:from="ce.fin.intpass_1076089490124_0"
xlink:to="ce_1076089467233_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="7.0"/>
                <loc xlink:type="locator"
xlink:href="dives.xsd#ce.tot.rlror"
xlink:label="ce.tot.rlror_1076089493312_0" xlink:title="ce.tot.rlror"/>
                    <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce to ce.tot.rlror"
xlink:from="ce_1076089467233_0"
xlink:to="ce.tot.rlror_1076089493312_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="10.0"/>
                    <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.tot.rlror to ce"
xlink:from="ce.tot.rlror_1076089493312_0"
xlink:to="ce_1076089467233_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="8.0"/>
                <loc xlink:type="locator"
xlink:href="dives.xsd#ce.fisc.imp"
xlink:label="ce.fisc.imp_1076089496718_0" xlink:title="ce.fisc.imp"/>
                    <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce to ce.fisc.imp"
xlink:from="ce_1076089467233_0"
xlink:to="ce.fisc.imp_1076089496718_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="11.0"/>
                    <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.fisc.imp to ce"
xlink:from="ce.fisc.imp_1076089496718_0"

```

```

xlink:to="ce_1076089467233_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="9.0"/>
    <loc xlink:type="locator"
xlink:href="dives.xsd#ce.tot.rnet"
xlink:label="ce.tot.rnet_1076089500577_0" xlink:title="ce.tot.rnet"/>
        <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/parent-child"
xlink:title="presentation: ce to ce.tot.rnet"
xlink:from="ce_1076089467233_0"
xlink:to="ce.tot.rnet_1076089500577_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="12.0"/>
        <presentationArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/child-parent"
xlink:title="presentation: ce.tot.rnet to ce"
xlink:from="ce.tot.rnet_1076089500577_0"
xlink:to="ce_1076089467233_0" xlink:actuate="onRequest"
xlink:show="replace" priority="0" order="10.0"/>
    </presentationLink>
</linkbase>

```

6 - File: dives_linkbase_reference.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<!--Generated by Fujitsu Interstage XWand 1.0.109-->
<linkbase xmlns="http://www.xbrl.org/2001/XLink/xbrllinkbase"
xmlns:xbrll="http://www.xbrl.org/2001/XLink/xbrllinkbase"
xmlns:xlink="http://www.w3.org/1999/xlink"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.fujitsu.com/xml/xbrl/taxeditor/default
dives.xsd"/>

```

7 - File: istanza_documento.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<!-- Write Comment Here... -->
<!--Generated by Fujitsu Instance Creator Ver. 0.8_01-->
<group xmlns="http://www.xbrl.org/2001/instance"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xlink="http://www.w3.org/1999/xlink"
xmlns:xbrll="http://www.xbrl.org/2001/XLink/xbrllinkbase"
xsi:schemaLocation="http://www.fujitsu.com/xml/xbrl/taxeditor/default
dives.xsd"
xmlns:p0="http://www.fujitsu.com/xml/xbrl/taxeditor/default"
xmlns:iso4217="http://www.xbrl.org/2003/iso4217">
    <p0:ce.op.ric numericContext="b">10900</p0:ce.op.ric>
    <p0:ce.op.ric numericContext="a">12000</p0:ce.op.ric>
    <p0:ce.op.mol numericContext="b">3550</p0:ce.op.mol>
    <p0:ce.op.mol numericContext="a">4202</p0:ce.op.mol>
    <p0:ce.op.amm numericContext="b">650</p0:ce.op.amm>
    <p0:ce.op.amm numericContext="a">870</p0:ce.op.amm>
    <p0:ce.op.rop numericContext="b">2900</p0:ce.op.rop>

```

```

<p0:ce.op.rop numericContext="a">3332</p0:ce.op.rop>
<p0:ce.fin.intatt numericContext="b">12</p0:ce.fin.intatt>
<p0:ce.fin.intatt numericContext="a">18</p0:ce.fin.intatt>
<p0:ce.fin.intpass numericContext="b">650</p0:ce.fin.intpass>
<p0:ce.fin.intpass numericContext="a">790</p0:ce.fin.intpass>
<p0:ce.fisc.imp numericContext="b">769</p0:ce.fisc.imp>
<p0:ce.fisc.imp numericContext="a">870</p0:ce.fisc.imp>
<p0:ce.tot.rlор numericContext="b">2262</p0:ce.tot.rlор>
<p0:ce.tot.rlор numericContext="a">2560</p0:ce.tot.rlор>
<p0:ce.tot.rnet numericContext="b">1493</p0:ce.tot.rnet>
<p0:ce.tot.rnet numericContext="a">1690</p0:ce.tot.rnet>
<p0:ce.op.acq.mp numericContext="b">3970</p0:ce.op.acq.mp>
<p0:ce.op.acq.mp numericContext="a">4500</p0:ce.op.acq.mp>
<p0:ce.op.acq.lav numericContext="b">3100</p0:ce.op.acq.lav>
<p0:ce.op.acq.lav numericContext="a">3000</p0:ce.op.acq.lav>
<p0:ce.op.acq.ser numericContext="b">760</p0:ce.op.acq.ser>
<p0:ce.op.acq.ser numericContext="a">900</p0:ce.op.acq.ser>
<p0:ce.op.varrim.mpmerc numericContext="b">-
90</p0:ce.op.varrim.mpmerc>
<p0:ce.op.varrim.mpmerc
numericContext="a">230</p0:ce.op.varrim.mpmerc>
<p0:ce.op.varrim.sempf
numericContext="b">120</p0:ce.op.varrim.sempf>
<p0:ce.op.varrim.sempf numericContext="a">-
78</p0:ce.op.varrim.sempf>
<p0:ce.op.costcap numericContext="b">450</p0:ce.op.costcap>
<p0:ce.op.costcap numericContext="a"
id="F0">450</p0:ce.op.costcap>
<p0:ce.op.costven.tot
numericContext="b">7350</p0:ce.op.costven.tot>
<p0:ce.op.costven.tot
numericContext="a">7798</p0:ce.op.costven.tot>
<p0:info.nome nonNumericContext="c">Società Alfa</p0:info.nome>
<p0:info.sede nonNumericContext="c">Trento</p0:info.sede>
<numericContext id="a" precision="10" cwa="true">
    <entity>
        <identifier scheme="nasdaq">alfa</identifier>
        <segment/>
    </entity>
    <period>
        <startDate>2003-01-01</startDate>
        <endDate>2003-12-31</endDate>
    </period>
    <unit>
        <measure>iso4217:EUR</measure>
    </unit>
    <scenario/>
</numericContext>
<numericContext id="b" precision="10" cwa="true">
    <entity>
        <identifier scheme="nasdaq">alfa</identifier>
        <segment/>

```

```

</entity>
<period>
    <startDate>2002-01-01</startDate>
    <endDate>2002-12-31</endDate>
</period>
<unit>
    <measure>iso4217:EUR</measure>
</unit>
<scenario/>
</numericContext>
<nonNumericContext id="c">
    <entity>
        <identifier scheme="nasdaq">alfa</identifier>
        <segment/>
    </entity>
    <period>
        <forever/>
    </period>
    <scenario/>
</nonNumericContext>
<xbrll:footnoteLink xlink:type="extended">
    <xbrll:loc xlink:type="locator" xlink:href="#F0"
xlink:label="ce.op.costcap_51663"/>
    <xbrll:footnote xlink:type="resource"
xlink:label="footnote_11147203" xml:lang="it">Incremento di
fabbricati per costruzioni in economia</xbrll:footnote>
    <xbrll:footnoteArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/fact-footnote"
xlink:from="ce.op.costcap_51663" xlink:to="footnote_11147203"
xlink:actuate="onRequest" xlink:show="embed" priority="0"/>
    <xbrll:footnoteArc xlink:type="arc"
xlink:arcrole="http://www.xbrl.org/linkprops/arc/footnote-fact"
xlink:from="footnote_11147203" xlink:to="ce.op.costcap_51663"
xlink:actuate="onRequest" xlink:show="replace" priority="0"/>
</xbrll:footnoteLink>
</group>

```

8 - File : output.html

```

<html><!--Created By Fujitsu Instance Creator Reporting Module-->
<head>
<META http-equiv="Content-Type" content="text/html; charset=UTF-8">
<link rel="stylesheet" type="text/css" href="inscrts/css/inscrts.css">
</head>
<body onload="initialize()">
<div class="pagelabel">Conto economico</div>
<center>
<table id="table">
<caption class="header"></caption>
<tr>

```

```

<td class="title"></td><td class="title"></td><td
class="title"></td><th
class="title"></th><th class="title"></th>
</tr>
<tr>
<td colspan="3" class="class2">Conto economico</td><td colspan="2" class="class2">
<br>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td colspan="2" class="class4">Ricavi di vendita</td><td
class="value" id="N9521674">
<div class="numeric">12,000</div>
</td><td class="value" id="N9521674">
<div class="numeric">10,900</div>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td colspan="2" class="class3">Costo della produzione venduta</td><td colspan="2"
class="class3">
<br>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td class="class3" style="min-width:30; max-width:30;">
<br>
</td><td colspan="1" class="class6">Acquisto materie prime</td><td
class="value" id="N9521674">
<div class="numeric">4,500</div>
</td><td class="value" id="N9521674">
<div class="numeric">3,970</div>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td class="class3" style="min-width:30; max-width:30;">
<br>
</td><td colspan="1" class="class5">Costo del lavoro</td><td
class="value" id="N9521674">
<div class="numeric">3,000</div>

```

```

</td><td class="value" id="N9521674">
<div class="numeric">3,100</div>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td class="class3" style="min-width:30; max-width:30;">
<br>
</td><td colspan="1" class="class6">Costi per servizi</td><td
class="value" id="N9521674">
<div class="numeric">900</div>
</td><td class="value" id="N9521674">
<div class="numeric">760</div>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td class="class3" style="min-width:30; max-width:30;">
<br>
</td><td colspan="1" class="class5">Variazione delle rimanenze di
materie prime e merci</td><td class="value" id="N9521674">
<div class="numeric">230</div>
</td><td class="value" id="N9521674">
<div class="numeric">(90)</div>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td class="class3" style="min-width:30; max-width:30;">
<br>
</td><td colspan="1" class="class6">Variazione rimanenze di
semilavorati e prodotti finiti</td><td class="value" id="N9521674">
<div class="numeric">(78)</div>
</td><td class="value" id="N9521674">
<div class="numeric">120</div>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td class="class3" style="min-width:30; max-width:30;">
<br>
</td><td colspan="1" class="class5">Costi capitalizzati
nell'esercizio</td><td class="value" id="N9521674">
<div class="numeric">450<span class="footnote"><a
name="footnote1_101915"></a><a
href="#footnote1"><sup>*1</sup></a></span>
</div>
</td><td class="value" id="N9521674">

```

```

<div class="numeric">450</div>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td class="class3" style="min-width:30; max-width:30;">
<br>
</td><td colspan="1" class="class6">Totale costo della produzione venduta</td><td class="value" id="N9521674">
<div class="numeric">7,798</div>
</td><td class="value" id="N9521674">
<div class="numeric">7,350</div>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td colspan="2" class="class4">Margine operativo lordo</td><td class="value" id="N9521674">
<div class="numeric">4,202</div>
</td><td class="value" id="N9521674">
<div class="numeric">3,550</div>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td colspan="2" class="class3">Ammortamenti</td><td class="value" id="N9521674">
<div class="numeric">870</div>
</td><td class="value" id="N9521674">
<div class="numeric">650</div>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td colspan="2" class="class4">Reddito operativo</td><td class="value" id="N9521674">
<div class="numeric">3,332</div>
</td><td class="value" id="N9521674">
<div class="numeric">2,900</div>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td colspan="2" class="class3">Interessi attivi</td><td class="value" id="N9521674">
<div class="numeric">18</div>
</td><td class="value" id="N9521674">

```

```

<div class="numeric">12</div>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td colspan="2" class="class4">Interessi passivi</td><td
class="value" id="N9521674">
<div class="numeric">790</div>
</td><td class="value" id="N9521674">
<div class="numeric">650</div>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td colspan="2" class="class3">Reddito lordo</td><td
class="value" id="N9521674">
<div class="numeric">2,560</div>
</td><td class="value" id="N9521674">
<div class="numeric">2,262</div>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td colspan="2" class="class4">Imposte sul reddito</td><td
class="value" id="N9521674">
<div class="numeric">870</div>
</td><td class="value" id="N9521674">
<div class="numeric">769</div>
</td>
</tr>
<tr>
<td class="class2" style="min-width:30; max-width:30;">
<br>
</td><td colspan="2" class="class3">Reddito netto</td><td
class="value" id="N9521674">
<div class="numeric">1,690</div>
</td><td class="value" id="N9521674">
<div class="numeric">1,493</div>
</td>
</tr>
</table>
<div class="footnote_title">Footnotes:</div>
<table class="footnote">
<tr>
<td class="footnote_no"><a name="footnote1"></a>*1</td><td
class="footnote_content">Incremento di fabbricati per costruzioni in
economia</td>
</tr>
<tr>

```

```

<td>
<br>
</td><td class="footnote_link">(Link to: <a href="#footnote1_101915">Costi capitalizzati nell'esercizio</a>)</td>
</tr>
</table>
</center>
<div class="footer"></div>
<script type="text/javascript" src="inscrt/js/treeview.js"></script><script type="text/javascript" src="inscrt/js/inscrtview.js"></script>
</body>
</html>

```

9 - FILE: dives2.xsd

```

<schema
targetNamespace="www.dives_xbrl.it/XBRL"
xmlns="http://www.w3.org/2001/XMLSchema"
xmlns:xhtml="http://www.w3.org/1999/xhtml"
xmlns:xbrli="http://www.xbrl.org/2003/instance"
xmlns:link="http://www.xbrl.org/2003/linkbase"
xmlns:dives1="www.dives_xbrl.it/XBRL"
xmlns:dives2="www.dives_xbrl.it/XBRL_2"
xmlns:xlink="http://www.w3.org/1999/xlink">
    <annotation>
        <appinfo>
            <link:linkbaseRef
                xlink:type="simple"
                xlink:href="linkbase_calculation.xml"

xlink:role="http://www.xbrl.org/2003/role/calculationLinkbaseRef"

xlink:arcrole="http://www.w3.org/1999/xlink/properties/linkbase"/>
            </appinfo>
        </annotation>
<import
    namespace="http://www.xbrl.org/2003/instance"
    schemaLocation="xbrl-instance.xsd"/>
</schema>
<element name="ce.fin.subtot"
        id="ce.fin.subtot"
        type="xbrli:monetaryItemType"
        substitutionGroup="xbrli:item"/>

```

10 - File : dives2_linkbase_calculation.xml

```

<linkbase
    xmlns="http://www.xbrl.org/2003/linkbase">

```

```

xmlns:xlink="http://www.w3.org/1999/xlink"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="dives2.xsd">

<calculationLink
  xlink:type="extended"
  xlink:role="http://www.xbrl.org/2003/role/link">

  <!--Esclusione (negation) dei link originari-->
  <loc
    xlink:type="locator"
    xlink:href="dives.xsd#ce.fin.intatt"
    xlink:label="loc_ce.fin.intatt"/>
  <loc
    xlink:type="locator"
    xlink:href="dives.xsd#ce.fin.intpass"
    xlink:label="loc_ce.fin.intpass"/>
  <loc
    xlink:type="locator"
    xlink:href="dives.xsd#ce.tot.rlror"
    xlink:label="loc_ce.tot.rlror"/>

  <calculationArc
    xlink:type="arc"
    xlink:from="loc_ce.tot.rlror"
    xlink:to="loc_ce.fin.intatt"
    xlink:title="ce.tot.rlror"
    xlinkarcrole="http://www.xbrl.org/2003/arcrole/summation-item"
    weight="1"
    use="prohibited"
    xlink:priority="1"
    xlink:show="replace"
    xlink:actuate="onRequest"/>
  <calculationArc
    xlink:type="arc"
    xlink:from="loc_ce.tot.rlror"
    xlink:to="loc_ce.fin.intpass"
    xlink:title="ce.tot.rlror"
    xlinkarcrole="http://www.xbrl.org/2003/arcrole/summation-item"
    weight="-1"
    use="prohibited"
    xlink:priority="1"
    xlink:show="replace"
    xlink:actuate="onRequest"/>

  <!--!Definizione dei link sostitutivi-->
  <loc
    xlink:type="locator"
    xlink:href="dives.xsd#ce.fin.intatt"
    xlink:label="loc_ce.fin.intatt"/>
  <loc

```

```

xlink:type="locator"
xlink:href="dives.xsd#ce.fin.intpass"
xlink:label="loc_ce.fin.intpass"/>
<loc
  xlink:type="locator"
  xlink:href="dives2.xsd#ce.fin.subtot"
  xlink:label="loc_ce.fin.subtot"/>
<loc
  xlink:type="locator"
  xlink:href="dives.xsd#ce.tot.rlror"
  xlink:label="loc_ce.tot.rlror"/>

<calculationArc
  xlink:type="arc"
  xlink:from="loc_ce.fin.subtot"
  xlink:to="loc_ce.fin.intatt"
  xlink:title="ce.fin.subtot"
  xlinkarcrole="http://www.xbrl.org/2003/arcrole/summation-item"
  weight="1"
  xlink:show="replace"
  xlink:actuate="onRequest"/>

<calculationArc
  xlink:type="arc"
  xlink:from="loc_ce.fin.subtot"
  xlink:to="loc_ce.fin.intpass"
  xlink:title="ce.fin.subtot"
  xlinkarcrole="http://www.xbrl.org/2003/arcrole/summation-item"
  weight="-1"
  xlink:show="replace"
  xlink:actuate="onRequest"/>

<calculationArc
  xlink:type="arc"
  xlink:from="loc_ce.tot.rlror"
  xlink:to="loc_ce.fin.subtot"
  xlink:title="ce.tot.rlror"
  xlinkarcrole="http://www.xbrl.org/2003/arcrole/summation-item"
  weight="1"
  xlink:show="replace"
  xlink:actuate="onRequest"/>

</calculationLink>
</linkbase>
```